

PART - 1: HYDROSTATIC APPLICATION OILS COMPATIBILITY CHART
(actual hydraulic systems and applications)

HYDRAULIC FLUID	type		Wire Spiralled	Wire Braided			Textile Braided	TPE Textile Braided
	ISO 6743-4	DIN 51524	GOLDENSPIR DIAMONDSPIR SHIELDMASTER ROCKMASTER GOLDENISO	ETERNITY/2 NOZONE/2K	TRACTOR SHIELDMASTER ROCKMASTER HARVESTER/17 GOLDENISO LYTEFLEX COVER TWINPOWER	EQUATOR	ASTRO SPIRTEX/K MULTITEX PUSH FIT	HYDROPLAST HYDROTWIN
ACT Ecosafe FR 46	HFDU		E	E	C	C	G	-
ACT FR WG 200 D	HFC		E	X	E	X	E	-
ADDINOL Ökosynth Super HEES 46	HEES		G	C	G	C	G	-
ADDINOL Ökosynth Super HEES 46 S	HEES		G	C	G	C	G	-
AGIP Arnica 46	HV	HVLP	E	G	G	E	G	-
AGIP Arnica Extra Plus	HEES	HVLP	G	G	G	C	G	E
AGIP Arnica Plus	HEES	HVLP	E	E	G	C	E	E
AGIP Arnica S46	HFDU		E	E	G	C	E	E
AGIP Oso 32	HM	HLP	E	E	C	E	E	G
AGIP Oso D 46	HM	HLPD	G	G	C	G	G	-
AGROL Mendo 46	HEES		-	G	-	G	-	-
AKZO Fyrquel	HFDR		X	X	X	-	X	-
AMBRA Hitech 46	HL	HLP	E	E	G	G	E	G
ANDEROL 8768 (PAO)	HEPR		G	G	C	C	C	-
API HS 46	HV	HVLP	E	G	G	E	-	-
ARAL Vitam EHF 46	HEES		E	E	G	G	G	G
ARAL Vitam GF 68	HL	HLP	E	E	E	E	E	E
AVIA Biofluid BP 32	HEES		G	C	G	X	G	-
AVIA Fluid RSL 32	HS		E	G	G	-	-	-
AVIA HVI 46	HV	HVLPD	G	G	G	E	G	-
AVIA Syntofluid F 46	HEES		E	G	E	G	G	E
AVIA Syntofluid N 32	HEES		G	G	E	G	E	G
AVIA Syntofluid N 46	HEES		E	E	G	G	E	G
AVIA Syntofluid PE B 30 (PAO)	HEPR		E	G	G	G	G	G
AVIA Syntofluid PE B 50 (PAO)	HEPR		G	G	C	G	G	-
BASF Plurasafe Xtreme FR Hyd Fluid	HFDR		X	X	X	X	X	X
BECHEM Hydrostar PM 46	HH		E	E	G	G	E	-
BINOL Hydra P 1146	HETG		E	E	G	-	G	-
BP A 0629L/028	HS		G	C	G	E	G	G
BP Bartran HV	HV	HVLP	E	G	C	E	G	-

PART - 1: HYDROSTATIC APPLICATION OILS COMPATIBILITY CHART
(actual hydraulic systems and applications)

HYDRAULIC FLUID	type		Wire Spiralled	Wire Braided			Textile Braided	TPE Textile Braided
	ISO 6743-4	DIN 51524	GOLDENSPIR DIAMONDSPIR SHIELDMASTER ROCKMASTER GOLDENISO	ETERNITY/2 NOZONE/2K	TRACTOR SHIELDMASTER ROCKMASTER HARVESTER/17 GOLDENISO LYTEFLEX COVER TWINPOWER	EQUATOR	ASTRO SPIRTEX/K MULTITEX PUSH FIT	HYDROPLAST HYDROTWIN
BP Biohyd SE-S 46	HEES		G	G	E	C	E	-
BP Energol HLP 46	HL	HLP	G	G	G	-	-	-
BREMER Rivolta SBH 23	HEES		E	G	E	G	G	E
CALTEX Rando DSZ 46	HV	HVLP	G	G	C	G	C	-
CALTEX Rando HD	HM	HLP	E	G	G	G	G	G
CALTEX Rando HD LVZ 46	HV	HVLP	G	G	C	G	C	-
CASTROL Aero HF 585 B (MIL 56006H)	HH	HL	E	C	G	C	E	C
CASTROL Anvol SWX 68 (POE based)	HFDU		E	C	E	C	G	-
CASTROL Biotech Alpin 22	HETG		E	E	E	C	E	-
CASTROL Brayco 717 (MIL 17111c)	HS		G	C	G	C	G	G
CASTROL Carelube HTG	HETG		E	C	E	C	E	G
CASTROL Carelube HY 46	HEES		G	G	G	C	G	G
CASTROL Hyspin HDH 7000	HM		E	G	G	E	E	-
CASTROL Lift oil	HH	HL	G	G	G	G	G	G
CASTROL Product L 320	HH	HL	E	C	G	X	G	-
CASTROL Product L 571	HH	HL	E	C	G	X	G	-
CEPSA Hydraulic HM 46	HM	HLP	E	E	G	E	G	E
CHEVRON AW 46	HM		E	G	G	E	G	-
CHEVRON Hydraulic AW 46	HM	HLP	E	G	G	E	G	-
CHEVRON Machine oil AW 220	HV	HLP	G	G	G	G	G	G
CHEVRON Machine oil AW ISO 46	HV	HLP	G	G	G	G	G	G
CHEVRON Rando HD 68	HM	HLP	G	C	C	G	C	-
CHEVRON Rycon MV	HM		E	G	G	G	G	-
COAST OIL A/W 68	HM		G	C	C	G	-	-
CONDAT D 46	HFDU		E	C	G	C	G	-
CONOCO Ecoterra	HM	HLP	G	C	-	-	-	-
DEA Econa E 46	HEES		G	C	E	C	E	E
DOT 3	HPG		-	-	X	X	X	G
DOT 4	HPG		-	-	X	X	X	G
ELAN Hydraulic 46	HV	HVLP	E	G	G	E	G	G

PART - 1: HYDROSTATIC APPLICATION OILS COMPATIBILITY CHART
(actual hydraulic systems and applications)

HYDRAULIC FLUID	type		Wire Spiralled	Wire Braided			Textile Braided	TPE Textile Braided
	ISO 6743-4	DIN 51524	GOLDENSPIR DIAMONDSPIR SHIELDMASTER ROCKMASTER GOLDENISO	ETERNITY/2 NOZONE/2K	TRACTOR SHIELDMASTER ROCKMASTER HARVESTER/17 GOLDENISO LYTEFLEX COVER TWINPOWER	EQUATOR	ASTRO SPIRTEX/K MULTITEX PUSH FIT	HYDROPLAST HYDROTWIN
ESSO Hydraulikoel HE 46	HEES		E	E	E	G	E	E
ESSO Nuto H46	HM	HLP	G	G	G	E	G	E
ESSO Univis N46	HV	HVLP	E	G	G	E	G	-
EXXON HUMBLE H 46	HM	HLP	E	G	G	E	G	-
EXXON RL 002775B	HM		G	G	C	C	-	-
FINKE Aviaticon HY HE	HEES		G	G	E	-	E	G
FOLTZERMSRINGOLI Hydra 46	HH		G	G	C	E	G	-
FRAGOLHE 46	HEES		E	C	G	C	G	E
FUCHS Eco Hyd 46S NWG	HEES		G	C	G	X	G	-
FUCHS OM 13	HH	HL	G	G	G	G	E	E
FUCHS OM 65	HH	HL	G	G	G	-	G	G
FUCHS Plantohyd 46s	HEES		E	C	E	C	E	E
FUCHS Plantohyd N 46	HETG		G	C	E	C	E	E
FUCHS Plantohyd SUPER S46	HEES		G	C	E	X	-	-
FUCHS Plantosyn 3268 Eco	HEES		G	C	E	G	E	G
FUCHS Plantosyn 46 HVI	HEES		E	C	G	C	G	G
FUCHS Renolin B15 VG46	HV	HVLP'	G	G	G	-	-	-
FUCHS Renolin MR 520	HV	HVLPD	G	G	G	G	E	E
GULF Armony AW 46	HM	HLP	E	E	G	E	G	E
HOUGHTON Cosmolubric HF 130 (POE based)	HFDU		G	G	C	C	G	-
HOUGHTON Hydravis BC 84005 (60°C)	HFC		E	G	E	C	E	E
HOUGHTON Isocore E 68 plus	HFC		E	G	E	C	G	-
HOUGHTON Safe 620	HFC		G	G	G	X		
HOUGHTON Safe CTF	HFC		E	C	E	C	E	E
HOUGHTON Safe OX 40	HFC		E	G	E	C	E	E
HOUGHTON Vital fluid L46AL	HFDU		G	G	E	C	-	-
HOUGHTON-Safe 273 CTF	HFC		E	C	E	X	-	-
IDEMITSU DAPHNE 46	HH	HL	G	G	C	G	G	
IGOL Matic ZNS 46	HV		E	G	G	E	-	-
IGOL Ticma Fluid	HV		E	G	G	E	G	-

PART - 1: HYDROSTATIC APPLICATION OILS COMPATIBILITY CHART

(actual hydraulic systems and applications)

HYDRAULIC FLUID	type		Wire Spiralled	Wire Braided			Textile Braided	TPE Textile Braided
	ISO 6743-4	DIN 51524	GOLDENSPIR DIAMONDSPIR SHIELDMASTER ROCKMASTER GOLDENISO	ETERNITY/2 NOZONE/2K	TRACTOR SHIELDMASTER ROCKMASTER HARVESTER/17 GOLDENISO LYTEFLEX COVER TWINPOWER	EQUATOR	ASTRO SPIRTEX/K MULTITEX PUSH FIT	HYDROPLAST HYDROTWIN
IGOL Ticma Fluid BIO 46	HEES		G	G	G	C	G	-
INGERSOLL RAND SSR Ultracoolant (Polyglycolic comp. coolant)	HEPG		G	G	G	G	G	-
INGERSOLL RAND Techtrol Gold(Polyglycolic comp. coolant)	HEPG		G	C	G	G	G	-
IRVING HYDRAULICS 46	HM	HLP	G	G	G	E	G	-
ISAFLEX KOMPRESSOIL SE	HEES		E	C	G	C	-	-
JOHN DEERE Bio Guard II	HETG		E	E	E	E	G	G
KLUBER Hysyn FG46	HS		G	C	C	G	C	-
KLUBERFOOD 4 NH1 46	HM	HLP	G	C	C	C	C	-
KOMATSU Genuine Bio 46 G4	HEES		E	G	G	G	G	E
KOMATSUKPO 10 Powertrain TO 10	HH		E	E	G	G	G	E
LIEBHERR Hyd Basic 68	HM	HLPD	E	G	G	-	-	-
LIEBHERR Hydraulic HVI	HV	HVLPD	E	G	G	-	G	-
LIEBHERR Hydraulic Plus	HEPR	HVLPD	G	G	C	-	-	-
LIEBHERR Hydraulic Plus Arctic	HEPR	HVLPD	E	E	G	-	-	-
LUKOIL Geyser ST	HM		E	G	C	E	G	G
METLUBE HFR 220	HFDU		G	G	C	E	C	-
MICRO QUIMICA Microcorte 530	HFB		C	X	C	X	C	-
MILLERS Millmax 22	HM		G	G	C	G	G	-
MILLERS Millfood 32	HS		G	G	G	E	G	E
MOBIL Aero HF 46 (MIL 5606H)	HH	HL	E	G	G	C	G	-
MOBIL Arctic EAL 224 H	HETG		G	G	E	X	E	G
MOBIL DTE 10 Excel 68	HV	HVLP	G	G	C	C	C	-
MOBIL DTE 13	HV	HVLP	E	G	C	E	G	-
MOBIL DTE 24	HV	HVLP	G	G	G	E	G	-
MOBIL DTE 25	HV	HVLP	E	G	G	E	G	E
MOBIL DTE 26	HV	HVLP	G	G	G	E	C	E
MOBIL DTE EXCEL 46	HM	HLP	G	G	C	E	C	-
MOBIL DTE EXCEL 68	HM	HLP	G	-	-	E	-	-
MOBIL DTE FM 32	HM		E	G	C	G	G	-
MOBIL Hydrofluid HFDU	HFDU		E	E	E	G	E	E

PART - 1: HYDROSTATIC APPLICATION OILS COMPATIBILITY CHART

(actual hydraulic systems and applications)

HYDRAULIC FLUID	type		Wire Spiralled	Wire Braided			Textile Braided	TPE Textile Braided
	ISO 6743-4	DIN 51524	GOLDENSPIR DIAMONDSPIR SHIELDMASTER ROCKMASTER GOLDENISO	ETERNITY/2 NOZONE/2K	TRACTOR SHIELDMASTER ROCKMASTER HARVESTER/17 GOLDENISO LYTEFLEX COVER TWINPOWER	EQUATOR	ASTRO SPIRTEX/K MULTITEX PUSH FIT	HYDROPLAST HYDROTWIN
MOBIL SHC 524	HM		E	G	C	E	-	-
MOTUL Shock oil VI 400	HEES		G	C	G	X	G	-
NALCO Varidos FSK 40%	HFB		E	G	E	C	E	-
NESTE BIO Hydraulik LONGLIFE 46	HEES		G	C	G	C	G	-
NESTE BIO Hydraulik SE 46	HEES		G	C	G	C	G	-
NESTE Hydraulik 32 SUPER	HV	HVLP	E	G	C	E	-	-
NESTE Hydraulik 46 SUPER	HV	HVLP	E	G	C	E	-	-
NYCO Hydraulik Oil FH 3 (MIL H 46170 C-1)	HH	HL	E	G	G	E	G	-
NYCO Hydraulik Oil FH 51 (MIL 5606H)	HH	HL	E	G	G	C	G	-
NYCO Hydraulik Oil FH 6 (MIL 6083H)	HH	HL	G	G	E	C	E	C
OEST Dopp-Synth 60	HLP		G	X	C	X	G	-
OEST Dopp-Synth 70	HLP		G	X	C	X	G	-
OMD 90	HH	HL	G	G	G	-	G	G
OMV Biohyd MS 46 (100°C)	HEES		G	G	G	-	G	G
OMV HLP AL 46	HL	HLP	E	G	C	E	C	
PANOLIN EP Gear Synth 30 VDT	HEES		G	X	G	X	G	G
PANOLIN GRO Synth 46	HEES		G	C	G	C	-	E
PANOLIN HLP Synth 15	HEES		G	X	X	X	G	-
PANOLIN HLP Synth 46	HEES		E	C	G	X	G	G
PANOLIN HLP Synth E 46	HEES		E	C	G	X	G	E
PANOLIN HLP Uni 46	HV	HVLP	E	G	G	G	G	-
PANOLIN Trafosynth 2	HEES		G	X	G	X	G	-
PENTOSIN CHF 11 S (Power Steering)	HS		G	G	C	E	C	-
PETRO CANADA Hydrex AW 46	HM	HLP	E	G	C	C	C	-
PETRO CANADA Hydrex MV 60	HV	HVLP	G	G	C	C	G	-
PETROFER Ultra Safe 620	HFC		E	G	E	X	E	-
Pfänder Aapresol	HH		G	G	G	E	G	E
Q8 Handel 68	HV	HVLP	G	G	C	E	G	E
Q8 Haydn	HM	HLP	E	G	G	E	G	-
Q8 Heller 46	HV	HVLP	E	G	G	E	G	-

PART - 1: HYDROSTATIC APPLICATION OILS COMPATIBILITY CHART
(actual hydraulic systems and applications)

HYDRAULIC FLUID	type		Wire Spiralled	Wire Braided			Textile Braided	TPE Textile Braided
	ISO 6743-4	DIN 51524	GOLDENSPIR DIAMONDSPIR SHIELDMASTER ROCKMASTER GOLDENISO	ETERNITY/2 NOZONE/2K	TRACTOR SHIELDMASTER ROCKMASTER HARVESTER/17 GOLDENISO LYTEFLEX COVER TWINPOWER	EQUATOR	ASTRO SPIRTEX/K MULTITEX PUSH FIT	HYDROPLAST HYDROTWIN
Q8 Hogarth 46	HV	HVLP	G	C	C	G	G	-
Q8 Holbein	HEES		E	G	G	G	G	-
Q8 Hummel 46	HM	HLP	E	G	C	G	-	-
QUAKER Greensave N 40	HETG		G	G	G	C	G	G
QUAKER Quintolubric 888	HFDU		G	G	G	C	G	-
QUAKER Quintolubric 888-46	HFDU		G	C	G	C	-	-
QUAKER Quintolubric 888-68	HFDU		G	C	G	C	-	-
QUAKER Quintolubric N 822-300	HFDU		G	C	G	-	G	-
QUAKER Quintolubric N852	HEES		G	X	G	X	E	-
RAUTIO ERGO MIX	HH		G	G	C	E	-	-
SHAEFFER 112 HTC	HM	HLP	G	G	C	E	-	-
SHAEFFER 112 NZ HTC 32	HM	HLPD	G	G	C	G	C	-
SHAEFFER 254 SUPREME ISO 32 TH 220	HM	HLP	G	C	C	G	C	-
SHAEFFER 275S Dilex Supreme MEHF HYD	HV	HLPD	G	G	C	E	C	-
SHELL Aeroshell Fluid 41 (MIL 5606H)	HH	HL	E	G	G	C	G	-
SHELL Aeroshell Fluid 602 (MIL-PRF 87252C)	HEPR		E	E	G	E	G	G
SHELL Astron HL 46	HH		E	E	G	G	-	-
SHELL Donax TA (Torque conv. Allison C-3)	HM		-	-	C	G	-	-
SHELL Irus Fluid DU-NA 46	HFDU		E	E	E	G	G	-
SHELL Irus Fluid DU-NA 68	HFDU		E	E	E	G	G	-
SHELL Naturelle HF-E15	HEES		E	C	G	X	G	G
SHELL Naturelle HF-E46	HEES		E	C	G	X	E	G
SHELL Targon AL plus	HH		E	C	E	C	G	-
SHELL Tellus Arctic 32	HH	HL	G	G	G	G	G	E
SHELL Tellus S1 M 46 (ex Tellus H 46)	HM		G	G	G	-	-	-
SHELL Tellus S2 M 100 (ex Tellus 100)	HM		E	G	G	G	G	G
SHELL Tellus S2 M 46 (ex Tellus 46)	HM	HLP	E	G	G	E	G	E
SHELL Tellus S2 M 68 (ex Tellus 68)	HM	HLP	E	G	G	E	G	-
SHELL Tellus S2 V 32 (ex Tellus T 32)	HV	HVLP	E	G	G	E	G	-
SHELL Tellus S2 V 46 (ex Tellus T 46)	HV	HVLP	E	G	G	E	-	-

PART - 1: HYDROSTATIC APPLICATION OILS COMPATIBILITY CHART

(actual hydraulic systems and applications)

HYDRAULIC FLUID	type		Wire Spiralled	Wire Braided			Textile Braided	TPE Textile Braided
	ISO 6743-4	DIN 51524	GOLDENSPIR DIAMONDSPIR SHIELDMASTER ROCKMASTER GOLDENISO	ETERNITY/2 NOZONE/2K	TRACTOR SHIELDMASTER ROCKMASTER HARVESTER/17 GOLDENISO LYTEFLEX COVER TWINPOWER	EQUATOR	ASTRO SPIRTEX/K MULTITEX PUSH FIT	HYDROPLAST HYDROTWIN
SHELL Tellus S2 V 68 (ex Tellus T 68)	HV	HVLP	E	G	G	E	G	-
SHELL Tellus S46	HM	HLP	E	G	G	E	G	E
SHELL Tellus S4ME 46 (ex Tellus EE 46)	HM	HLP	E	C	-	-	-	-
SHELL Tellus TX 68	HV		G	C	C	G	G	-
SMALLMAN Crownpress 46	HH		G	G	G	E	G	E
SOLUTIA Skydroll 500	HFDR		X	X	X	X	X	X
STATOIL Hydraway Extreme 46	HM	HLP	E	G	C	E	-	-
STATOIL Hydrocor CC44	HFC		E	G	E	C	G	-
STUART Isocore E68 Plus	HPG		E	G	G	C	E	-
SUNOCO Sunvis 746	HM	HLP	E	G	G	E	C	G
SUNOCO Sunvis 846	HV	HVLP	E	G	G	G	G	G
SUNOCO Sunvis 846 WR	HV	HLP	E	G	G	G	G	G
TAMOIL Green Hydro Safety 46	HETG		E	E	G	-	E	G
TEBOIL Hydraulic arctic	HH		G	G	E	G	E	E
TEBOIL Eco 46	HEES		E	E	G	C	G	G
TERRESOLVE Greenscare 46	HETG		G	C	G	G	G	-
TEXACO Biostar Hydraulic 32	HETG		E	C	E	C	E	-
TEXACO Hydra 46	HEES		E	C	G	C	G	G
TEXACO Rando HD 46	HM	HLP	E	G	G	G	C	G
TEXACO Rando HD LVZ 46	HV	HVLP	G	G	C	G	C	-
TEXACO Rando HD VZ	HV	HVLP	G	G	G	C	G	G
TEXACO Rando HD Z 46	HV	HVLP	E	C	G	E	C	G
TEXACO Synstar HT 68	HFDU		G	G	E	C	E	G
TOTAL Azolla HZS 46	HM	HLP	E	G	C	E	-	-
TOTAL Azolla ZS 46	HM	HLP	E	G	G	E	G	G
TOTAL Biohydran SE 46	HEES		G	C	G	X	E	G
TOTAL Equivis ZS 46	HV	HVLP	G	G	G	-	C	-
TOTAL Hydransafe HFDU 46	HFDU		E	-	G	-	-	-
TOTAL LHM (Brake fluid)	HS		G	X	C	X	G	-
UKABIOL HY 46 HTG	HETG		G	G	E	G	E	G

PART - 1: HYDROSTATIC APPLICATION OILS COMPATIBILITY CHART
(actual hydraulic systems and applications)

HYDRAULIC FLUID	type		Wire Spiralled	Wire Braided			Textile Braided	TPE Textile Braided
	ISO 6743-4	DIN 51524	GOLDENSPIR DIAMONDSPIR SHIELDMASTER ROCKMASTER GOLDENISO	ETERNITY/2 NOZONE/2K	TRACTOR SHIELDMASTER ROCKMASTER HARVESTER/17 GOLDENISO LYTEFLEX COVER TWINPOWER	EQUATOR	ASTRO SPIRTEX/K MULTITEX PUSH FIT	HYDROPLAST HYDROTWIN
UNIL Hydro S46	HM	HLP	G	G	G	E	C	G
UNIL OPAL HV 46	HV	HVLP	G	G	G	E	-	-
UNIL OPAL HVB 46	HV	HLPD	G	G	G	E	-	-
UNIL OPAL PO 6	HV	HVLP	G	G	G	-	G	-
VALVOLINE Uultramax HVLP 68	HV	HVLP	G	G	C	E	-	-
WISURA WM 3021 2,8% in H2O	HFA		E	E	E	X	E	E
YORK 777	HEES		G	C	G	X	G	E

PART - 2: HYDROKINETIC APPLICATIONS AND LUBRICANT OILS COMPATIBILITY CHART

(Automatic transmission and various lubrication systems)

AUTOMATIC TRANSMISSION FLUIDS (ATF)	type		Wire Spiralled	Wire Braided			Textile Braided	TPE Textile Braided
	ISO 6743-4	DIN 51524	GOLDENSPIR DIAMONDSPIR SHIELDMASTER ROCKMASTER GOLDENISO	ETERNITY/2 NOZONE/2K	TRACTOR SHIELDMASTER ROCKMASTER HARVESTER/17 GOLDENISO LYTEFLEX COVER TWINPOWER	EQUATOR	ASTRO SPIRTEX/K MULTITEX PUSH FIT	HYDROPLAST HYDROTWIN
AGIP ATF 2D Gear (ATF Dexron II, Mercon II spec)	HA		G	G	C	G	C	E
BP Autran MBX (ATF Dexron IID) - 100°C	HA		G	G	C	E	C	-
CASTROL Transynd RD (ATF Allison C4)	HA		G	C	C	E	-	E
CHEVRON Drivetrain HD (ATF Caterpillar TO4)	HA		G	G	C	G	C	-
MAG 1 Fully synthetic ATF (ATF Mercon V, Dexron III)	HA		-	G	C	G	-	-
MILLERS Millermaic ATF UN (ATF Dexron II)	HA		C	C	C	G	-	-
SHELL ATF III D (ATF Dexron III)	HA		C	C	C	E	-	-
SHELL Donax ATF III (ATF Dexron III)	HA		E	G	C	E	G	
SHELL Donax TX (ATF Dexron III)	HA		G	C	C	G	-	-
TAMOIL ATF II D (ATF Dexron IID) - 100°C	HA		C	G	C	E	-	-

GEAR (MECHANICAL TRANSMISSION) FLUID	type		Wire Spiralled	Wire Braided			Textile Braided	TPE Textile Braided
	ISO 6743-4	DIN 51524	GOLDENSPIR DIAMONDSPIR SHIELDMASTER ROCKMASTER GOLDENISO	ETERNITY/2 NOZONE/2K	TRACTOR SHIELDMASTER ROCKMASTER HARVESTER/17 GOLDENISO LYTEFLEX COVER TWINPOWER	EQUATOR	ASTRO SPIRTEX/K MULTITEX PUSH FIT	HYDROPLAST HYDROTWIN
EXXON MOBIL 424 (gear oil)	C		G	G	G	G	-	-
FUCHS Planto Hytrac (UTTO gear oil)	C		G	C	G	C	G	-
LIEBHERR Gear Basic 90 LS (Gearbox oil)	C		G	G	G	-	G	-
MAV Sint Plus 2005 ISO46 (Gear oil)	C		G	G	C	C	G	-
MOBIL SHC PM 320 (Gear oil)	C		G	G	C	E	-	-
PENZOIL Long Life Gearplus 75w 90	C		E	G	C	G	G	-
SHELL Donax TD (UTTO gear OIL)	C		E	G	G	E	-	-
SHELL Omala 320 (Gear oil)	C		G	G	C	C	G	G
SHELL Omala HD 150 (Gear oil)	C		G	G	C	C	G	G
SHELL Spirax ASX (Gear oil SAE 80W140)	C		G	C	C	C	G	-
SHELL Tegula V32 (Gear oil)	C		E	G	G	E	G	E
TEXACO Textran TDH Premium (UTTO Gear oil)	C		G	G	C	E	G	-
VALTRA Transmission oil XT 60 (Gearbox)	C		G	G	C	E	C	-

PART - 2: HYDROKINETIC APPLICATIONS AND LUBRICANT OILS COMPATIBILITY CHART

(Automatic transmission and various lubrication systems)

COMPRESSOR OILS	type		Wire Spiralled	Wire Braided			Textile Braided	TPE Textile Braided
	ISO 6743-4	DIN 51524	GOLDENSPIR DIAMONDSPIR SHIELDMASTER ROCKMASTER GOLDENISO	ETERNITY/2 NOZONE/2K	TRACTOR SHIELDMASTER ROCKMASTER HARVESTER/17 GOLDENISO LYTEFLEX COVER TWINPOWER	EQUATOR	ASTRO SPIRTEX/K MULTITEX PUSH FIT	HYDROPLAST HYDROTWIN
ANDEROL 497 (Di-ester based compressor oil)	D		G	C	G	C	G	-
ATLAS COPCO Paroil S BULK (ester based compr. oil)	D		G	G	C	C	C	-
ATLAS COPCO Roto Foodgrade fluid (Synt blend compr. Oil)	D		-	-	-	G	-	-
ATLAS COPCO Roto H (mineral based Compressor oil)	D		G	G	C	G	G	E
ATLAS COPCO Roto Inject Fluid Plus (mineral based compr. Oil)	D		G	G	C	G	G	E
ATLAS COPCO Roto Inject Fluid (mineral based compr. Oil)	D		E	G	G	G	G	E
ATLAS COPCO Roto Xtend Duty (PAO compr. Oil)	D		-	-	-	G	-	-
CASTROL Icematic SW 100 (POE based compressor oil)	D		G	G	G	-	G	E
CHEVRON Machine oil ISO 32 (Compressor oil)	D		G	G	G	G	G	G
FUCHS Dea Triton SE 55 (POE based)	D		G	G	G	-	G	E
INGERSOLL RAND SSR Ultra plus coolant (POE based compr. oil)	D		G	G	G	E	G	G
KLUBER Summit Hysyn FG 46 (Synt hydrocarbon comp. Oil)	D		G	C	C	G	C	-
LUBRIZOL Emkarate RL 100S	D		G	G	-	-	C	G
MOBIL Arctic EAL 22 (POE based A/C comp. Oil)	D		E	E	G	G	G	G
MOBIL Glycol 30 (PAG based comp.oil)	D		E	E	E	E	E	G
MOBIL Rarus SHC 1026 (Compressor oil)	D		E	G	G	E	G	-
PAG SP 10 (compressor oil)	D		G	G	G	-	C	E
SHELL Corena D (compressor oil)	D		G	G	C	E	C	G
TOTAL Dacnis SH 46 (PAO based comp. Oil)	D		-	G	C	E	G	-
TOTAL Dacnis VS 46 (mineral based comp. Oil)	D		G	G	C	E	C	-

PART - 2: HYDROKINETIC APPLICATIONS AND LUBRICANT OILS COMPATIBILITY CHART

(Automatic transmission and various lubrication systems)

ENGINE OILS	type		Wire Spiralled	Wire Braided			Textile Braided	TPE Textile Braided
	ISO 6743-4	DIN 51524	GOLDENSPIR DIAMONDSPIR SHIELDMASTER ROCKMASTER GOLDENISO	ETERNITY/2 NOZONE/2K	TRACTOR SHIELDMASTER ROCKMASTER HARVESTER/17 GOLDENISO LYTEFLEX COVER TWINPOWER	EQUATOR	ASTRO SPIRTEX/K MULTITEX PUSH FIT	HYDROPLAST HYDROTWIN
AGIP SINT 2000 (engine oil 10W40)	E		G	G	G	G	E	G
AGIP Tecscint SL5W40 (engine oil 5W40)	E		E	G	C	G	-	-
BP Vanellus C 5 (engine oil 15W40)	E		E	G	G	G	-	-
CHEVRON Delo 400LE (Engine oil 15W40)	E		G	G	C	G	G	-
CHEVRON RPM 30 (Engine oil)	E		G	G	C	E	G	-
FUCHS Plantohydrat SL 5W40 (STOU engine oil)	E		G	G	C	G	G	-
FUCHS Titan GTI Pro C 2 (Engine oil 5W30)	E		G	G	C	C	G	-
IGOL Marine 15W-40 (engine oil)	E		G	G	G	-	-	-
JCB Engine oil EP (Engine oil 15W40)	E		E	G	G	G	G	G
MOBIL Delvac 1310 (engine oil 10W20)	E		E	G	G	G	E	G
Q8 T720 (engine oil 15W40)	E		E	G	G	E	G	-
SHELL Helix Ultra (Engine oil 5W40)	E		G	G	G	E	G	-
SHELL Rimula R3 (Engine oil 10W)	E		E	G	G	E	G	E
SHELL Rimula X30 (Engine oil 10W)	E		E	G	G	E	G	E
SHELL Rotella TMG (Engine oil 15W40)	E		G	G	G	E	G	-
SHELL V oil 1404	E		G	G	G	G	G	G

TURBINE OILS	type		Wire Spiralled	Wire Braided			Textile Braided	TPE Textile Braided
	ISO 6743-4	DIN 51524	GOLDENSPIR DIAMONDSPIR SHIELDMASTER ROCKMASTER GOLDENISO	ETERNITY/2 NOZONE/2K	TRACTOR SHIELDMASTER ROCKMASTER HARVESTER/17 GOLDENISO LYTEFLEX COVER TWINPOWER	EQUATOR	ASTRO SPIRTEX/K MULTITEX PUSH FIT	HYDROPLAST HYDROTWIN
MOBIL Jet oil II	T		E	C	G	C	E	-
NYCO Turbonicoil TN 13 B	T		G	X	X	X	E	-

PART - 2: HYDROKINETIC APPLICATIONS AND LUBRICANT OILS COMPATIBILITY CHART

(Automatic transmission and various lubrication systems)

	type		Wire Spiralled	Wire Braided			Textile Braided	TPE Textile Braided
	ISO 6743-4	DIN 51524	GOLDENSPIR DIAMONDSPIR SHIELDMASTER ROCKMASTER GOLDENISO	ETERNITY/2 NOZONE/2K	TRACTOR SHIELDMASTER ROCKMASTER HARVESTER/17 GOLDENISO LYTEFLEX COVER TWINPOWER	EQUATOR	ASTRO SPIRTEX/K MULTITEX PUSH FIT	HYDROPLAST HYDROTWIN
HEAT TRANSFER FLUIDS								
MOBIL Therm 605	Q		G	G	G	E	G	-
PETROCANADA Calflo (Heat transfer fluid)	Q		G	G	C	G	G	-
CHEVRON Havoline XLC (Fluid cooler)	Q		E	G	G	X	G	-
NESTE Fluid cooler BIO	Q		E	C	G	-	G	-
NESTE Super fluid cooler XLC	Q		E	C	G	-	G	-
PETRONAS Parafiu HT (OAT) at 100°C	Q		E	G	G	X	G	-
Water Glycol emulsion (50%) at 100°C	Q		E	G	G	X	G	E

	type		Wire Spiralled	Wire Braided			Textile Braided	TPE Textile Braided
	ISO 6743-4	DIN 51524	GOLDENSPIR DIAMONDSPIR SHIELDMASTER ROCKMASTER GOLDENISO	ETERNITY/2 NOZONE/2K	TRACTOR SHIELDMASTER ROCKMASTER HARVESTER/17 GOLDENISO LYTEFLEX COVER TWINPOWER	EQUATOR	ASTRO SPIRTEX/K MULTITEX PUSH FIT	HYDROPLAST HYDROTWIN
METAL WORKING FLUID								
BUDEMEIM Phosphatherm 948	M		E	E	E	X	E	-

WARNING:

WARNING: Compatibility of hose and fittings with conveyed fluid is an essential factor in avoiding chemical reactions that may result in release of fluids or failure of the hose or connection.
This chemical compatibility guide must not be used in conjunction with any other compatibility guides from previous or future catalogue editions, bulletins or publications. Incorrect use of these charts could result in death, personal injury or property damage.